

## WEST Search History for Application 10674577

Creation Date: 2009061816:46

Query	DB	Op.	Plur.	Thes.	Date
confirm\$6 with correctness	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(simple near network near protocol or snmp) and (confirm\$6 with correctness )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(verif\$5 or valid\$5) with attribute with (get\$6request)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(verif\$5 or valid\$5) with (get\$6request)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(verif\$5 or valid\$5) with managed near device	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(simple near network near protocol or snmp) and ((verif\$5 or valid\$5) with managed near device )	PGPB, USPT, USOC, EPAB, JPAB,	OR			06-18-2009

	DWPI, TDBD				
notif\$6 with management near station	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(simple near network near protocol or snmp) and notif\$6 with management near station	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((compar\$3 or match\$3) with (values or variables)) with (managed near object or mib)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
'7099947'.pn.	USPT	OR			06-18-2009
'6981038'.pn.	USPT	OR			06-18-2009
'6981038'.pn.	USPT	OR			06-18-2009
(compar\$3 or match\$3) with (get near request)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(managed near object or mib or simple near network near protocol or snmp) and ((compar\$3 or match\$3) with (get near request) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
community near (name or string or attribute or field) with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4)	PGPB, USPT, USOC, EPAB,	OR	YES		06-18-2009

	JPAB, DWPI, TDBD				
@ad<20030929 and (community near (name or string or attribute or field) with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
get near request with trap	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
@ad<20030929 and (get near request with trap )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(read\$3 or writ\$3) with mib near object same (error or problem or valid\$5 or verif\$6 or fault)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(password or security near (attribute or value)) with (valid\$5 or verif\$6 or match\$3 or compar\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near request and ((password or security near (attribute or value)) with (valid\$5 or verif\$6 or match\$3 or compar\$4) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near request with (invalid or verif\$7)		OR			06-18-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
snmp near request same (invalid or verif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(match\$3 with (attribute or mib or value or managed near information\$2 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp and ((match\$3 with (attribute or mib or value or managed near information\$2 near object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(mib or managed near information\$2 near object) and (snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and ((mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
managed adj information adj object and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)) )	PGPB, USPT, USOC, EPAB,	OR			06-18-2009

	JPAB, DWPI, TDBD				
managed adj information adj base and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
match\$3 with (username or password)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp and (match\$3 with (username or password) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(mib or managed near information\$2 near base) and (snmp and match\$3 with (username or password) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((valid\$5 or verif\$7) near (snmp or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((valid\$5 or verif\$7) and (snmp near object or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
		OR			06-18-2009

((valid\$5 or veri\$7 or \$4correct) near (attribute or password)) and ((managed adj information adj object or mib near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
telnet with ((valid\$5 or veri\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
telnet and ((valid\$5 or veri\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
management near (station or computer or application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((valid\$5 or veri\$7 or \$4correct) near (attribute or password)) and (management near (station or computer or application) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(snmp near object or managed adj information adj object or mib near object) and (((valid\$5 or veri\$7 or \$4correct) near (attribute or password)) and management near (station or computer or application) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object))	PGPB, USPT, USOC, EPAB,	OR			06-18-2009

	JPAB, DWPI, TDBD				
(management near (station or computer or application) ) and ((poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(snmp near object or managed adj information adj object or mib near object) and (management near (station or computer or application) and (poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
20050251569	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
notif\$7 with index	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(snmp or mib near object or (get near (message or request))) and (notif\$7 with index )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(manag\$6 near information near base or mib near object) with (password or username or user near credential or security near (data or information))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
		OR			06-18-2009

(manag\$6 near information near base or mib near object) same (password or username or user near credential)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(manag\$6 near information near base or mib near object) same (acl or access adj control adj list)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or (mib or snmp) near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and (((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB,	OR			06-18-2009



	JPAB, DWPI, TDBD				
snmp and (@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
SNMP near (Get near Response) with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
SNMP near (Get near Response) samenotif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(SNMP near (Get near Response) samenotif\$7 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((SNMP or Get) near Response) same notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp and (((SNMP or Get) near Response) same notif\$7 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
		OR			06-18-2009

((SNMP or Get) near Response) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
@pd<20030929 and (((SNMP or Get) near Response) same (password or credential or username or security) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((password or credential or username or security) near (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((look\$1up or search\$3 or find\$3 or determin\$5) near (password or credential or username or security)) same ((mib or snmp or managed) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
index with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((snmp or get) near (request or message or call)) or getnext or getbulk and (index with notif\$7 )	PGPB, USPT, USOC, EPAB,	OR			06-18-2009

	JPAB, DWPI, TDBD				
((snmp or get) near (request or message or call)) or getnext or getbulk) and (index with notif\$7 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((mib or snmp or managed) near object) near (value or attribute)) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((mib or snmp or managed) near object) near2 (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
57375718.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
5737518.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((determin\$3 or compar\$4) near (attribute or filed or value)) with ((match\$3 or correspond\$3) near managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
		OR			06-18-2009

(attribute or field or value) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(username or password or securtiy) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(username or password or security) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
managed adj object and ((determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
management near request and (username or password or security) near (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
management near request and (attribute or field or value) near (managed adj object)	PGPB, USPT, USOC, EPAB,	OR			06-18-2009

	JPAB, DWPI, TDBD				
manag\$5 adj object and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((determin\$3 or compar\$4 or match\$3) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(manag\$5 adj object and (username or password or security) near (attribute or field or value) ) and (((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and (manag\$5 adj object and (username or password or security) near (attribute or field or value) and (((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
mib and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and (mib and (username or password or security) near (attribute or field or value) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
6085237.pn.		OR			06-18-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
get\$1next and get\$1bulk	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((valid\$5 or verif\$6) near (attribute or field or password or username))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near object and (((valid\$5 or verif\$6) near (attribute or field or password or username)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(get\$1next or get\$1bulk) and (((valid\$5 or verif\$6) near (attribute or field or password or username)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
'5497373'.pn.	USPT	OR			06-18-2009
'5491796'.pn.	USPT	OR			06-18-2009
'5434863'.pn.	USPT	OR			06-18-2009
'5432932'.pn.	USPT	OR			06-18-2009
'5317742'.pn.	USPT	OR			06-18-2009
KOUNDEDE!	TDBD, DWPI, JPAB, EPAB,	OR			06-18-2009

	USOC, USPT, PGPB				
PUTTV!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			06-18-2009
PUTTU!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			06-18-2009
((managed adj device or management adj station) with (notif\$7 near (message or request)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((compar\$4 or match\$3 or determin\$3) near (error or fail\$3 or fault or problem)) with (managed adj device or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((compar\$4 or match\$3 or determin\$3) near (security or verif\$6 or password or username)) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(security or verif\$6 or password or username) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
propos\$3 near value with managed adj object		OR			06-18-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(correct or propos\$3) near value with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
'5561798'.pn.	USPT	OR			06-18-2009
'5559958'.pn.	USPT	OR			06-18-2009
'5559958'.pn.	USPT	OR			06-18-2009
(username and password) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(username and password) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(authenticate) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((attribute or username or password) near (telnet or ssh or tftp or rcp or snmp or tacacs radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009



snmp adj object and (((attribute or username or password) near (telnet or ssh or tftp or rcp or snmp or tacacs radius)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp adj object and (telnet and ssh and tftp and rcp and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(telnet and ssh and tftp and rcp and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
varbind near request	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
'6671722'.pn.	USPT	OR			06-18-2009
'6631406'.pn.	USPT	OR			06-18-2009
'6631406'.pn.	USPT	OR			06-18-2009
'6631406'.pn.	USPT	OR			06-18-2009
'6539540'.pn.	USPT	OR			06-18-2009
'6539540'.pn.	USPT	OR			06-18-2009
(snmp near (version or v\$1) near (1 or 2 or 3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near (request or message) and ((snmp near (version or v\$1) near (1 or 2 or 3)))	PGPB, USPT,	OR			06-18-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
'20030061480'.pn.	PGPB	OR			06-18-2009
'20020099273'.pn.	PGPB	OR			06-18-2009
'6944183'.pn.	USPT	OR			06-18-2009
'6785728'.pn.	USPT	OR			06-18-2009
'6772226'.pn.	USPT	OR			06-18-2009
'6765900'.pn.	USPT	OR			06-18-2009
verif\$6 near snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
verif\$6 with snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(ssh or tftp or rcv or snmp or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(ssh or tftp or rcv or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near object and ((ssh or tftp or rcv or tacacs or radius) )	PGPB, USPT, USOC, EPAB,	OR			06-18-2009

	JPAB, DWPI, TDBD				
get\$bulk and (snmp near object and (ssh or tftp or rcv or tacacs or radius) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(security or authenticat\$3) and (snmp near object and (ssh or tftp or rcv or tacacs or radius) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
@pd<20030929 and ((security or authenticat\$3) and snmp near object and (ssh or tftp or rcv or tacacs or radius) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(719/311).ccls.		OR			06-18-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(726/23 726/24 726/25 726/26 726/27).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. ) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. ) or ((713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. ) or ((719/311).ccls. ) or ((726/23 726/24 726/25 726/26 726/27).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
varbind and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. or (713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. or (719/311).ccls. or (726/23 726/24 726/25 726/26 726/27).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near (object or mib) and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. or (713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. or (719/311).ccls. or (726/23 726/24 726/25 726/26 726/27).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username)	PGPB, USPT,	OR			06-18-2009

	USOC, EPAB, JPAB, DWPI, TDBD			
(snmp near (object or mib) and (707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).ccls. or (713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).ccls. or (719/311).ccls. or (726/23 726/24 726/25 726/26 726/27).ccls. ) and ((determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-18-2009
6757901.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-18-2009
management near (query or request) same ((compar\$4 or test\$3 or determin\$3) near (error or correct\$4 or fail\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-18-2009
management near (query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-18-2009
(query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		06-18-2009
((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB,	OR		06-18-2009

	USPT, USOC, EPAB, JPAB, DWPI, TDBD				
@pd<20030929 and (((error or correct\$4 or fail\$3) near (manag\$6 near object)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp and ((manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(username or password) and (snmp and (manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
managed near object with (password or username) same (ssh or telnet tftp or rcp or snmp or tacacs radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
managed near object with (password or username)	PGPB, USPT, USOC, EPAB, JPAB,	OR			06-18-2009

	DWPI, TDBD				
(incorrect or "not" near correct) near (attribute or value) with (password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(incorrect or "not" near correct) near (attribute or value) with (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(incorrect or "not" near correct) near (attribute or value) same (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(attribute or value) near (password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(attribute or value) near (match\$3 or compar\$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((attribute or value) near (password or username) ) and ((attribute or value) near (match\$3 or compar\$5) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp and ((attribute or value) near (password or username) and (attribute or value) near (match\$3 or compar\$5) )	PGPB, USPT,	OR			06-18-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
(match\$3 or compar\$5) with (community near (string or name or id or identif\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(match\$3 or compar\$5) with ((managed near object) near (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((managed near object) near (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
((managed near object) with (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(match\$3 or compar\$5) with ((managed near object) with (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
(deny\$3 or reject\$3 or permi\$5) with ((attribute or managed near object or security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			06-18-2009



	TDBD				
snmp near request and ((deny\$3 or reject\$3 or permi\$5) with ((attribute or managed near object or security or credential or password)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
correct\$4 with (attribute or values or community near string)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
snmp near request and (correct\$4 with (attribute or values or community near string) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
correct\$4 same community near string	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
\$3correct\$4 same community near string	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
community near string with (password or verifi\$3 or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			06-18-2009
community near (name or string or attribute or field) with (notifi\$7)	PGPB, USPT, USOC,	OR	NO		06-18-2009

	EPAB, JPAB, DWPI, TDBD				
community near (name or string or attribute or field) with call\$1back	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(managed near object or mib or manage\$5 near base) with call\$1back	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(managed near object or mib or manage\$5 near base) with notif\$6 with management near (application or station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
notif\$6 with management near (application or station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with (managed near object or mib or manage\$5 near base)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(manag\$5 adj object and (username or password or security) near (attribute or field or value) and ((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)) ) and ((valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with (managed near object or mib or manage\$5 near base) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009

agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with notif\$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
@pd<20030929 and (agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with notif\$6 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(simple near network near protocol or snmp) and (@pd<20030929 and agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with notif\$6 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with (credential or security or attribute)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
@pd<20030929 and (agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with (credential or security or attribute) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009
(simple near network near protocol or snmp) and (@pd<20030929 and agent with (valid\$5 or verif\$6 or compar\$4 or match\$3 or correct\$4) with (credential or security or attribute) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		06-18-2009